

Figure 1




Figure 2




Figure 3




Figure 4

<SOAP-ENV:Envelope> 520

```
xmlns:SOAP-ENV=http://schemas.xmlsoap.org/soap/envelope/
xmlns:xsd=http://www.w3.org/1999/XMLSchema/
xmlns:xsi="http://www.w3.org/1999/XMLSchema/instance/">
```

<SOAP-ENV:Header> 530

<RequestHeader> 540

```
<Operation>getProperties</Operation>
<ServiceName>RemoteControlManagement</ServiceName>
<SecurityContext>
  <AuthenticationToken>NTk1NDkTE2A6LTdmZIwMTA=</AuthenticationToken>
</SecurityContext>
</RequestHeader>
```

</SOAP-ENV:Header>

<SOAP-ENV:Body> 550

<getProperties> 560

```
<MemberId>a2bdevice2</MemberId>
<WebServiceType>RemoteDiagnostics</WebServiceType>
<PropertyNames>
  <Property name="Fan_Speed_1"></Property>
</PropertyNames>
</getProperties>
```

</SOAP-ENV:Body>

</SOAP-ENV:Envelope>

Figure 5a: SOAP-Encoded Data

getProperties.MemberId=a2bdevice2&getProperties.WebServiceType=RemoteDiagnostics&getProperties.PropertyNames.Property@name=Fan%20Speed%201

Figure 5b: URL-Encoded Data

g.M=a2bdevice2&g.W=RemoteDiagnostics&g.P.P@n=Fan%20Speed%201

Figure 5c: Compact-URL encoded data




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11